

Capitec Bank

INSTALLATION

OPTIONS

CASH • CONVENIENCE • SERVICE



Powered by **CARDTRONICS**




LOAD TYPE:
Merchant-cashed ATM

INSTALLATION TYPE:
In-store installation

DAYTIME OR CAT 4 SAFE:
Daytime

FRONT OR REAR LOAD:
Front



DIMENSIONS

W 600mm

H 1914mm

D 860mm




LOAD TYPE:
Fully-cashed ATM

INSTALLATION TYPE:
In-store installation

DAYTIME OR CAT 4 SAFE:
CAT 4

FRONT OR REAR LOAD:
Front



DIMENSIONS

W 600mm

H 2 080mm

D 890mm




LOAD TYPE:
Merchant-cashed ATM
or Fully-cashed ATM

INSTALLATION TYPE:
In-store installation
or Outside-facing installation

DAYTIME OR CAT 4 SAFE:
Daytime or CAT 4

FRONT OR REAR LOAD:
Rear



DIMENSIONS

W | 100mm
H | 960mm
D | 020mm

SINGLE CONSTRUCTED KIOSK

TTW FS CI




LOAD TYPE:
Fully-cashed ATM

INSTALLATION TYPE:
Outside-facing installation

DAYTIME OR CAT 4 SAFE:
CAT 4

FRONT OR REAR LOAD:
Rear



DIMENSIONS

W 1 940mm

H 2 890mm

D 2 440mm

Smallest footprint. Dimensions adjustable

DOUBLE CONSTRUCTED KIOSK

TTW FS C2



LOAD TYPE:
Fully-cashed ATM

INSTALLATION TYPE:
Outside-facing installation

DAYTIME OR CAT 4 SAFE:
CAT 4

FRONT OR REAR LOAD:
Rear

DIMENSIONS

W 3 140mm

H 2 890mm

D 2 440mm

Smallest footprint. Dimensions adjustable

DROP DOWN UNIT

DDU CI



LOAD TYPE:
Fully-cashed ATM

INSTALLATION TYPE:
Outside-facing installation

DAYTIME OR CAT 4 SAFE:
CAT 4

FRONT OR REAR LOAD:
Rear


DIMENSIONS

W 2 700mm

H 2 600mm

D 3 440mm

CAPITEC BRANDED SIGNAGE



GENERAL ENQUIRIES

info@sparkatm.co.za

Call: 087 750 1000

CONTACT CENTRE

Whatsapp: 082 085 1105

support@sparkatm.co.za

NATIONAL HEAD OFFICE

31 Transvaal Street, Paarden

Eiland, Cape Town, 7405

JOHANNESBURG OFFICE

12 Devon Place, Longmeadow Business Estate,

Modderfontein, Johannesburg, 1609

www.sparkatm.co.za



Powered by **CARDTRONICS**